## DOGLOTEE OSSTOT

TSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDK VWGQGTLVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGAL EVQLVESGGGLVQPGGSLRLSCATSGYTFTEYTMHWMRQAPGKGLEWVAGINPKNG GTSHNQREMDRFIISVDKSTSTAYMQMNSLRAEDTAVYYCARWRGLNYGFDVRYFD THTCPPCPAPELLGGRMKQLEDKVEELLSKNYHLENEVARLKKLVGER

FIG. 1A

SDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSST DIQMTQSPSSLSASVGDRVTITCRASQDINNYLNWYQQKPGKAPKLLIYYTSTLHSGVP SRFSGSGSGTDYTLTISSLQPEDFATYYCQQGNTLPPTFGQGTKVEIKRTVAAPSVFIFPP LTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC

=1G. 1B




FIG. 2A




FIG. 2B




FIG. 3

1 GAATTCAACT TCTCCATACT TTGGATAAGG AAATACAGAC ATGAAAAATC TCATTGCTGA 61 GTTGTTATTT AAGCTTTGGA GATTATCGTC ACTGCAATGC TTCGCAATAT GGCGCAAAAT 121 GACCAACAGC GGTTGATTGA TCAGGTAGAG GGGGCGCTGT ACGAGGTAAA GCCCGATGCC 181 AGCATTCCTG ACGACGATAC GGAGCTGCTG CGCGATTACG TAAAGAAGTT ATTGAAGCAT 241 CCTCGTCAGT AAAAAGTTAA TCTTTTCAAC AGCTGTCATA AAGTTGTCAC GGCCGAGACT 301 TATAGTCGCT TTGTTTTAT TTTTTAATGT ATTTGTAACT AGAATTCGAG CTCGCCGGGG 361 ATCCTCTAGA GGTTGAGGTG ATTTT ATG AAA AAG AAT ATC GCA TTT CTT CTT K N М К 413 GCA TCT ATG TTC GTT TTT TCT ATT GCT ACA AAC GCG TAC GCT GAT ATC A T N V F S T A M F 461 CAG ATG ACC CAG TCC CCG AGC TCC CTG TCC GCC TCT GTG GGC GAT AGG S S 509 GTC ACC ATC ACC TGT CGT GCC AGT CAG GAC ATC AAC AAT TAT CTG AAC A ~S D Ι N Q С R 19 V 557 TGG TAT CAA CAG AAA CCA GGA AAA GCT CCG AAA CTA CTG ATT TAC TAT G K Α 605 ACC TCC ACC CTC CAC TCT GGA GTC CCT TCT CGC TTC TCT GGT TCT GGT R F G v P 653 TCT GGG ACG GAT TAC ACT CTG ACC ATC AGC AGT CTG CAA CCG GAG GAC S S I, O T I T L 67 S 701 TTC GCA ACT TAT TAC TGT CAG CAA GGT AAT ACT CTG CCG CCG ACG TTC G N 749 GGA CAG GGC ACG AAG GTG GAG ATC AAA CGA ACT GTG GCT GCA CCA TCT т K R E ĸ G T 797 GTC TTC ATC TTC CCG CCA TCT GAT GAG CAG TTG AAA TCT GGA ACT GCC ĸ D E 845 TCT GTT GTG TGC CTG CTG AAT AAC TTC TAT CCC AGA GAG GCC AAA GTA P N F N 893 CAG TGG AAG GTG GAT AAC GCC CTC CAA TCG GGT AAC TCC CAG GAG AGT G N Q S L D A W 941 GTC ACA GAG CAG GAC AGC AGC AGC ACC TAC AGC CTC AGC AGC ACC S S S K D 989 CTG ACG CTG AGC AAA GCA GAC TAC GAG AAA CAC AAA GTC TAC GCC TGC Y E K K A D 1037 GAA GTC ACC CAT CAG GGC CTG AGC TCG CCC GTC ACA AAG AGC TTC AAC P L S S H 0 1085 AGG GGA GAG TGT TAA G CTGATCCTCT ACGCCGGACG CATCGTGGCG G E

FIG. 4A

1131 CTAGTACGCA AGTTCACGTA AAAACGGTAT CTAGAGGTTG AGGTGATTTT ATG AAA 1187 AAG AAT ATC GCA TIT CIT CTT GCA TCT ATG TTC GIT TIT TCT ATT GCT A L N I 1235 ACA AAC GCG TAC GCT GAG GTT CAG CTG GTG GAG TCT GGC GGT GGC CTG L v Q A 1283 GTG CAG CCA GGG GGC TCA CTC CGT TTG TCC TGT GCA ACT TCT GGC TAC R G 1331 ACC TTT ACC GAA TAC ACT ATG CAC TGG ATG CGT CAG GCC CCG GGT AAG R м T H E W E 1379 GGC CTG GAA TGG GTT GCA GGG ATT AAT CCT AAA AAC GGT GGT ACC AGC Н ĸ G 1427 CAC AAC CAG AGG TTC ATG GAC CGT TTC ACT ATA AGC GTA GAT AAA TCC T T F R D М R N 0 1475 ACC AGT ACA GCC TAC ATG CAA ATG AAC AGC CTG CGT GCT GAG GAC ACT N M Q M 1523 GCC GTC TAT TAT TGT GCT AGA TGG CGA GGC CTG AAC TAC GGC TTT GAC W R A Y C 1571 GTC CGT TAT TTT GAC GTC TGG GGT CAA GGA ACC CTG GTC ACC GTC TCC Q G ₩ G v D 108 V R 1619 TCG GCC TCC ACC AAG GGC CCA TCG GTC TTC CCC CTG GCA CCC TCC TCC G 1667 AAG AGC ACC TCT GGG GGC ACA GCG GCC CTG GGC TGC CTG GTC AAG GAC A G Т 140 K S Т 1715 TAC TTC CCC GAA CCG GTG ACG GTG TCG TGG AAC TCA GGC GCC CTG ACC S W S Ε 1763 AGC GGC GTG CAC ACC TTC CCG GCT GTC CTA CAG TCC TCA GGA CTC TAC H T F P 1811 TCC CTC AGC AGC GTG GTG ACC GTG CCC TCC AGC AGC TTG GGC ACC CAG S V P T 1859 ACC TAC ATC TGC AAC GTG AAT CAC AAG CCC AGC AAC ACC AAG GTC GAC K N N 1907 AAG AAA GTT GAG CCC AAA TCT TGT GAC AAA ACT CAC ACA TGC CCG CCG T H С D ĸ S P К K 1955 TGC CCA GCA CCA GAA CTG CTG GGC GGC CGC ATG AAA CAG CTA GAG GAC K O G R M G L 2003 AAG GTC GAA GAG CTA CTC TCC AAG AAC TAC CAC CTA GAG AAT GAA GTG Н L Н L S ĸ 2051 GCA AGA CTC AAA AAG CTT GTC GGG GAG CGC TAA GCATGCG ACGGCCCTAG E V G K K 2101 AGTCCCTAAC GCTCGGTTGC CGCCGGGCGT TTTTTATTGT TAA

FIG. 4B




FIG. 5

VIAL FROM **WORKING CELL BANK** OR MASTER CELL BANK PRIMARY INOCULUM 14-18 hours temperature controlled SHAKE FLASK MEDIUM 7-17 hours SECONDARY INOCULUM, temperature and pH controlled SECONDARY MEDIUM transferred at 10-25 OD<sub>550</sub> temperature and pH controlled PRODUCTION VESSEL, controlled nutrient feeds PRODUCTION MEDIUM harvested at 60-84 hours HARVEST BY CENTRIFUGATION FREEZING OF CELLS FIG. 6




FIG. 7